

# ANIX<sup>®</sup>



## Product Line Card

TS  CE    DNV-GL

ANIX VALVE USA

[www.anixusa.com](http://www.anixusa.com)

[sales@anixusa.com](mailto:sales@anixusa.com)



**ANSI JIS DIN Flanged Ball Valve(Fire Safe)**  
(CF8, CF8M, WCB, Ti, Ni)  
ANSI -1/2"-12" / 150LB  
JIS-DN15~300/10K~20K



**ANSI 300LB~600LB Flanged Ball Valve(Fire Safe)**  
(CF8, CF8M, WCB, Ti, Ni)  
1/2"-8" / 300LB~600LB  
FBV42R6F/300~600



**ANSI JIS DIN Flanged Ball Valve Direct Mount (Fire Safe)**  
(CF8, CF8M, WCB, Ti, Ni)  
ANSI-1/2"-4" / 150LB  
JIS-DN15~100/10K~20K  
DIN-DN15~100 / PN16~63



**Flanged Fixed Ball Valve**  
(CF8, CF8M, WCB, Ti, Ni)  
ANSI-3"~48" / 150LB~600LB  
JIS-DN80~1200 / 10K~30K  
DIN-DN80~1200 / PN16~63  
FBV347R6F/150~600



**ANSI 150LB Flanged Gearbox Ball Valve(Fire Safe)**  
(CF8, CF8M, WCB, Ti, Ni)  
6"~12" / 150LB  
FBV342R6F/150



**ANSI, JIS, DIN, GB Flanged Gate Valve**  
(CF8, CF8M)  
ANSI-1 1/2"~32" / 150LB~600LB  
JIS- DN40~500 / 10K~20K  
DIN- DN40~500 / PN16~63  
GB- DN15~500 / PN16~63  
GA40W6F/150



**ANSI, JIS, DIN, GB Flanged Globe Valve**  
(CF8, CF8M)  
ANSI-1/2"~20" / 150LB~600LB  
JIS- DN15~500 / 10K~20K  
DIN- DN15~500 / PN16~63  
GB- DN15~500 / PN16~63  
GL41W6F/150



**ANSI, JIS, DIN, GB Flanged Check Valve**  
(CF8, CF8M)  
ANSI-1/2"~20" / 150LB~600LB  
JIS- DN15~500 / 10K~20K  
DIN- DN15~500 / PN16~63  
GB- DN15~500 / PN16~63  
CV44W6F/150



**3-Way Flanged Ball Valve Direct Mount**  
(CF8, CF8M, WCB, Ti, Ni)  
ANSI-1/2"~16" / 150LB~300LB  
JIS- DN15~400 / 10K~20K  
DIN- DN15~400 / PN16~40  
L: BVH44R6F/150 T: BVH45R6F/150



**ANSI, JIS, DIN, GB Flanged Strainers**  
(CF8, CF8M)  
ANSI-1/2"~28" / 150LB~300LB  
JIS- DN15~700 / 10K~20K  
DIN- DN15~700 / PN16~40  
GB- DN15~7500 / PN16~40  
YS41W6F/150



**ANSI, JIS, DIN, GB Flanged Gate Valve (WCB)**  
ANSI-1 1/2"~32" / 150LB~600LB  
JIS- DN40~500 / 10K~20K  
DIN- DN40~500 / PN16~63  
GB- DN15~500 / PN16~63  
GA40H5F/150



**ANSI, JIS, DIN, GB Flanged Globe Valve (WCB)**  
ANSI-1/2"~20" / 150LB~600LB  
JIS- DN15~500 / 10K~20K  
DIN- DN15~500 / PN16~63  
GB- DN15~500 / PN16~63  
GL41H5F/150



**ANSI, JIS, DIN, GB Flanged Check Valve (WCB)**  
ANSI-1/2"~20" / 150LB~600LB  
JIS- DN15~500 / 10K~20K  
DIN- DN15~500 / PN16~63  
GB- DN15~500 / PN16~63  
CV44W6F/150



**ANSI, JIS, DIN, GB Flanged Strainers (WCB)**  
ANSI-1/2"~28" / 150LB~300LB  
JIS- DN15~700 / 10K~20K  
DIN- DN15~700 / PN16~40  
GB- DN15~7500 / PN16~40  
YS41W6F/150



**Pneumatic Flanged Ball Valve**  
(CF8, CF8M, WCB, Ti, Ni)  
ANSI- 1/2"~12" / 150LB~300LB  
JIS- DN15~300 / 10K~20K  
DIN- B5- DN15~300 / PN16~63  
YS41W6F/150



**Wafer Type Double Disc Spring Check Valve**  
(CF8, CF8M, WCB)  
DN40~700 / 150LB  
CV76W6W/150



**Wafer Type Spring Check Valve**  
(CF8, CF8M, WCB)  
DN15~300 / PN16~40  
CV71W6W/40



**3PC Type Spring Check Valve**  
Threaded  
(CF8, CF8M)  
1/4"~2" / 1000PSI



**2PC Type Spring Check Valve**  
Threaded  
(CF8, CF8M)  
1/4"~2" / 1000PSI



**Swinck Check Valve**  
(CF8, CF8M, WCB)  
1/2"~3" / 200PSI  
CV14W6N/200



**2PC Type Ball Valve**  
(CF8, CF8M, Ti, Ni, LCC, LF2)  
1/4"~4" / 1000PSI  
BV12R6N/1000



**2PC Type Ball Valve Threaded**  
(CF8, CF8M, WCB, Ti, Ni, LCC, LF2)  
1/4"~4" / 2000PSI  
BV12R6N/2000



**2PC Type Ball Valve Threaded Fire Safe**  
(CF8, CF8M, WCB, Ti, Ni, LCC, LF2)  
1/4"~4" / 2000PSI  
FBV12R6N/2000



**2PC Type Ball Valve Threaded Fire Safe**  
(CF8, CF8M, WCB, Ti, Ni, LCC, LF2)  
1/4"~2" / 3000PSI  
FBV12R6N/3000



**1PC Type Ball Valve Threaded**  
(CF8, CF8M, WCB)  
1/4"~4" / 1000PSI  
BV11R6N/1000



**3PC Type Ball Valve Threaded**  
(CF8, CF8M)  
1/4"~4" / 1000PSI  
BV13R6N/1000



**3PC Type Ball Valve (Socket Weld)**  
(CF8, CF8M, WCB)  
1/4"~4" / 1000PSI  
BV63R6B/1000



**3PC Type Ball Valve Threaded**  
(CF8, CF8M)  
1/4"~4" / 1000PSI  
BV13R6N/1000



**3PC Type Ball Valve Threaded Direct Mount**  
(CF8, CF8M, WCB)  
1/4"~4" / 1000PSI  
BVH13R6N/1000



**3PC Type Ball Valve Threaded Fire Safe, Direct Mount**  
(CF8, CF8M, WCB, Ti, Ni, LCC, LF2)  
1/4"~4" / 2000PSI  
FBVH13R6N/2000



**Stainless Steel Gate Valve Threaded**  
(CF8, CF8M, WCB)  
1/2"~4" / 200PSI  
GA11W6N/200



**Stainless Steel Globe Valve Threaded**  
(CF8, CF8M, WCB)  
1/4"~3" / 200PSI  
GL11W6N/200



**3 Way Ball Valve (Low Mounted)**  
(CF8, CF8M, WCB)  
1/4"~4" / 1000PSI  
L: BV14R6N/1000  
T: BV15R6N/1000



**3 Way Ball Valve (Direct Mount)**  
(CF8, CF8M, WCB)  
1/4"~4" / 1000PSI  
L: BVH14R6N/1000  
T: BVH15R6N/1000



**2PC Type Ball Valve Threaded (WCB)**  
1/4"~4" / 1000PSI / 2000PSI  
BV12R5N/1000  
BV12R5N/2000



**MINI Ball Valve M/M**  
(304, 316)  
1/4"~1" / 1000PSI  
BV20F6N/1000



**MINI Ball Valve F/F**  
(304, 316)  
1/4"~1" / 1000PSI  
BV10F6N/1000



**MINI Ball Valve M/M**  
(304, 316)  
1/4"~1" / 1000PSI  
BV20F6N/1000



**3PC Pneumatic Ball Valve**  
(CF8, CF8M, WCB)  
1/4"~4" / 1000PSI



**Y-type Female Strainer**  
(CF8, CF8M, WCB)  
1/4"~4" / 800PSI  
YS11F6N/800



**3PC Clamped-package Ball Valve**  
(CF8, CF8M, WCB)  
1/2"~4" / 1000PSI  
BV83R6C/1000



**Sanitary Thread Butterfly Valve**  
(CF8,CF8M)  
1"-4" / DN25-DN102  
ISO,DIN,IDF,3A,SMS



**Sanitary Weld Butterfly Valve**  
(CF8,CF8M)  
3/4"-6" / DN20-DN159  
ISO,DIN,IDF,3A,SMS



**Sanitary Quick-Install Butterfly Valve**  
(CF8,CF8M)  
3/4"-6" / DN20-DN159  
ISO,DIN,IDF,3A,SMS



**Sanitary Diaphragm Valve**  
(CF8,CF8M)  
1/2"-2" / DN15-DN50  
ISO,DIN,IDF,3A,SMS



**Camlock A**  
(CF8, CF8M)  
CTA/6  
SIZE: 1/2"~6"  
/ DN15~150

**Camlock B**  
(CF8, CF8M)  
CTB/6  
SIZE: 1/2"~6"  
/ DN15~150

**Camlock C**  
(CF8, CF8M)  
CTC/6  
SIZE: 1/2"~6"  
/ DN15~150

**Camlock D**  
(CF8, CF8M)  
CTD/6  
SIZE: 1/2"~6"  
/ DN15~150

**Camlock E**  
(CF8, CF8M)  
CTE/6  
SIZE: 1/2"~6"  
/ DN15~150

**Camlock F**  
(CF8, CF8M)  
CTF/6  
SIZE: 1/2"~6"  
/ DN15~150

**Camlock DC**  
(CF8, CF8M)  
CTDC/6  
SIZE: 1/2"~6"  
/ DN15~150

**Camlock DP**  
(CF8, CF8M)  
CTDP/6  
SIZE: 1/2"~6"  
/ DN15~150



**AN ANSI Standard Forged Steel Gate Globe Valve**  
(A1 (A105, F304, F316)  
1/2 1/2"~2" / 150LB~ 1500LB  
GA GL41W6F/150



**ANSI Standard Forged Steel Gate Valve**  
(A105, F304, F316)  
1/2"~2" / 150LB~ 1500LB  
GA40W6F/150



**ANSI Standard Forged Steel Gate Valve**  
(A105, F304, F316)  
1/2"~2" / 150LB~ 2500LB  
GA11W6N/150



**ANSI Standard Forged Steel Gate Valve**  
(A105, F304, F316)  
1/2"~2" / 150LB~ 2500LB  
GL11W6N/150



**Pneumatic Flanged Ball Valve**  
(CF8, CF8M, WCB, Ti, Ni)  
ANSI- 1/2"~12" / 150LB~600LB  
JIS- DN15~300 / 10K~20K  
DIN. BS- DN15~300 / PN16~63



**Wafer Butterfly Valve**  
(CF8, CF8M)  
ANSI-2"~48"/150LB~300LB  
JIS-DN50~1200/10K~20K  
DIN, BS-DN50-1200/PN16-63



**Wafer Butterfly Valve**  
(C/, WCB, CF8, CF8M)  
ANSI-2"-48"/150LB~300LB  
JIS-DN50-1200/10K~20K  
DIN. BS-DN50-1200/PN16~63



**Lug Butterfly Valve**  
(C/, WCB, CF8, CF8M)  
ANSI-2"-48"/150LB~300LB  
JIS-DN50-1200/10K~20K  
DIN. BS-DN50-1200/PN16~63





NUOVE LINEE DI PRODOTTI PER IL MERCATO EUROPEO



- 

**Pneumatic Ball Valve with Handwheel**  
 C/DN: 150/50, WCB  
 C/N: 100/100
- 

**Pneumatic 2 Way Ball Valve**  
 C/DN: 150/50, WCB  
 C/N: 100/100

ANIX®



**Pneumatic 2 Way Ball Valve**, C/DN: 150/50, WCB, 100/100  
 ANIX: 100/100 / 100/100  
 25: DN150-100 / 100-25  
 DN: 25-DN150-100 / 100-25  
 50: DN150-100 / 100-50

**Pneumatic 2 Way Ball Valve**, C/DN: 150/50, WCB, 100/100  
 ANIX: 100/100 / 100/100  
 25: DN150-100 / 100-25  
 DN: 25-DN150-100 / 100-25  
 50: DN150-100 / 100-50

TS     DNV-GL



**Handwheel Ball Valve with Handwheel**  
 C/DN: 150/50, WCB, 100/100  
 ANIX: 100/100 / 100/100  
 25: DN150-100 / 100-25  
 DN: 25-DN150-100 / 100-25  
 50: DN150-100 / 100-50



**2 Way Ball Valve**  
 C/DN: 150/50, WCB, 100/100  
 ANIX: 100/100 / 100/100  
 25: DN150-100 / 100-25  
 DN: 25-DN150-100 / 100-25  
 50: DN150-100 / 100-50



**3 Ball Valve**  
 C/DN: 150/50, WCB, 100/100  
 ANIX: 100/100 / 100/100  
 25: DN150-100 / 100-25  
 DN: 25-DN150-100 / 100-25  
 50: DN150-100 / 100-50





# ANIX<sup>®</sup>

TS  CE   DNV·GL